

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended) An automated method, comprising:
receiving, by a processor, a search query;
determining, by the processor, ~~whether~~ that the received search query includes an entity name corresponding to a particular entity;
determining, by the processor, whether to rewrite the received search query based on information relating to selections of search results from prior searches conducted based on prior search queries including the entity name;
rewriting, by the processor, the received search query to include a restrict identifier relating to a domain associated with the particular entity when the information, relating to selections of search results from the prior searches, indicates that ~~users-intended~~ search results relating to the particular entity ~~when the users submitted~~ were selected for the prior search queries including the entity name;
automatically performing, by the processor, a search restricted to the domain associated with the particular entity, based on the rewritten search query, to generate a list of search results;
and
outputting, by the processor, the list of search results for presentation on a display.
2. (currently amended) The method of claim 1, further comprising:

providing a link to the received search query with the search results, where selection of the link causes a search to be performed based on only the received search query.

3-6. (canceled)

7. (currently amended) The method of claim 1, where the determining whether to rewrite the received search query comprises:

identifying entity identifiers associated with search result documents that were selected in connection with the prior searches involving the entity name,

determining a total number of selections for each of the ~~identified~~ entity identifiers, and

determining that the received search query should be rewritten when [[an]] one of the entity ~~identifier~~ identifiers, associated with the entity name₁, receives a total number of selections greater than other ones of the ~~identified~~ entity identifiers.

8. (currently amended) The method of claim 7, where the determining whether to rewrite the received search query further comprises:

determining whether the total number of selections₁ for the one of the entity ~~identifier~~ identifiers associated with the entity name₁ is greater than a threshold, and

determining that the received search query should not be rewritten when the total number of selections for the one of the entity ~~identifier~~ identifiers, associated with the entity name₁, is not greater than the threshold.

9. (currently amended) The method of claim 1, where the determining whether to rewrite the received search query comprises:

identifying entity identifiers associated with search result documents that were selected in connection with the prior searches involving the entity name,

determining a distribution of a total number of selections for each of the ~~identified~~ entity identifiers, and

determining that the received search query should be rewritten when the distribution indicates that the total number of selections₁ for [[an]] one of the entity identifier identifiers associated with the entity name₁ is ~~peaked compared to~~ greater than the total number of selections for a subset of other ones of the ~~identified~~ entity identifiers.

10. (canceled)

11. (previously presented) The method of claim 1, where the automatically performing a search based on the rewritten search query comprises:

searching a repository of documents using the rewritten search query.

12. (currently amended) A system implemented within one or more computer devices, comprising:

means for receiving a search query;

means for determining ~~whether~~ that the received search query includes an entity name corresponding to a particular entity;

means for rewriting the received search query to include a restrict identifier relating to a domain associated with the particular entity when the received search query includes the entity name;

means for automatically performing a search restricted to the domain associated with the particular entity, based on the rewritten search query, to obtain search results in lieu of performing a search based on the received search query; and

means for providing the search results.

13. (currently amended) A system, comprising:

a memory to store information relating to selections of search results from prior searches conducted based on prior search queries; and

a processor to:

receive a search query from a user,

determine whether the received search query includes an entity name corresponding to a particular entity,

determine whether to rewrite the received search query based on the information in the memory,

rewrite the received search query to restrict a search performed based on the rewritten search query to a ~~set of documents~~ domain associated with the particular entity when the information in the memory indicates that ~~users intended~~ search results associated with the particular entity ~~when the users submitted~~ were selected for the prior search queries including the entity name,

perform, without input from the user, a search restricted to the set of documents associated with the particular entity based on the rewritten search query to obtain search results, and
present the search results.

14-37. (canceled)

38. (currently amend) ~~An automated~~ A method performed by one or more devices, comprising:
receiving, by a processor associated with the one or more devices, a search query;
determining, by the processor, ~~whether~~ that the received search query includes an entity name corresponding to a particular entity;
determining, by the processor, whether to rewrite the received search query based on information relating to user behavior associated with prior searches conducted based on prior search queries including the entity name;
rewriting, by the processor, the received search query to restrict a search performed, based on the rewritten search query, to a domain associated with the particular entity when the information, relating to the user behavior associated with the prior searches, indicates that ~~users intended~~ search results associated with the particular entity when the users submitted were selected for the prior search queries including the entity name;
automatically performing, by the processor, a search restricted to the domain associated with the particular entity, based on the rewritten search query, to generate a list of search results

without performing a search based on the received search query; and

outputting, by the processor, the list of search results for presentation on a display.

39-41. (canceled)

42. (previously presented) An automated method, comprising:

receiving, by a processor, a search query from a user;

determining, by the processor, that the received search query includes a store name associated with a particular store;

rewriting, by the processor, the received search query to include a restrict identifier, relating to a domain associated with the particular store, based on information relating to prior searches involving the store name;

performing, by the processor and without input from the user, a search restricted to the domain associated with the particular store, based on the rewritten search query, to generate a list of search results; and

outputting, by the processor, the list of search results for presentation on a display.

43. (previously presented) An automated method, comprising:

receiving, by a processor, a search query;

determining, by the processor, that the received search query includes a name of a news source;

rewriting, by the processor, the received search query to include a restrict identifier,

relating to a domain associated with the news source, based on information relating to prior searches involving the name of the news source;

automatically performing, by the processor, a search restricted to the domain associated with the news source, based on the rewritten search query, to generate a list of search results; and
outputting, by the processor, the list of search results for presentation on a display.

44. (currently amended) The system of claim 13, where the processor is further ~~configured~~ to provide a link to the received search query along with the search results, where selection of the link causes the processor to perform a search based only on the received search query.

45. (currently amended) The system of claim 13, where, when determining whether to rewrite the received search query, the processor is ~~configured~~ to:

identify entity identifiers associated with search results documents that were selected in connection with the prior searches involving the entity name,

determine a total number of selections for each of the ~~identified~~ entity identifiers, and

determine that the received search query should be rewritten when [[an]] one of the entity ~~identifier~~ identifiers associated with the entity name receives a total number of selections greater than other ones of the ~~identified~~ entity identifiers.

46. (currently amended) The system of claim 45, where, when determining whether to rewrite the received search query, the processor is further ~~configured~~ to:

determine whether the total number of selections for the one of the entity ~~identifier~~ identifiers, associated with the entity name₁ is greater than a threshold, and

determine that the received search query should not be rewritten when the total number of selections, for the one of the entity ~~identifier~~ identifiers associated with the entity name₁ is not greater than the threshold.

47. (currently amended) The system of claim 12, where the means for rewriting the received search query includes:

means for identifying entity identifiers associated with search result documents that were selected in connection with prior searches involving the entity name,

means for identifying a distribution of a total number of selections for each of the ~~identified~~ entity identifiers, and

means for rewriting the received search query when the distribution indicates that the total number of selections, for ~~[[an]]~~ one of the entity ~~identifier~~ identifiers associated with the entity name, is ~~peaked-compared-to~~ greater than the total number of selections for a subset of other ones of the ~~identified~~ entity identifiers.

48. (canceled)

49. (currently amended) The system of claim 13, where, when performing the search based on the rewritten search query, the processor is ~~configured~~ to search a repository of documents using the rewritten search query.

50. (previously presented) The method of claim 1, where the entity name corresponds to a store name associated with a particular store, and automatically performing the search restricted to the domain associated with the particular entity includes automatically performing a search restricted to a domain associated with the particular store.

51. (previously presented) The method of claim 1, where the entity name corresponds to a name of a particular news source, and automatically performing the search restricted to the domain associated with the particular entity includes automatically performing a search restricted to a domain associated with the particular news source.

52. (currently amended) A computer-readable memory device that stores computer-executable instructions, comprising:

- one or more instructions for receiving a search query;
- one or more instructions for determining that the received search query includes an entity name corresponding to a particular entity;
- one or more instructions for identifying information associated with prior selections of search results previously generated based on search queries that include the entity name;
- one or more instructions for rewriting the received search query to restrict a search performed, based on the rewritten search query, to a ~~set of documents~~ domain associated with the

particular entity when the identified information indicates that ~~users intended~~ search results associated with the particular entity ~~when the users submitted~~ were selected for the search queries;

one or more instructions for performing a search restricted to the ~~set of documents~~ domain associated with the particular entity, based on the rewritten search query, to obtain search results; and

one or more instructions for presenting the search results.

53. (currently amended) The computer-readable memory device of claim 52, where the one or more instructions for rewriting the received search query includes:

one or more instructions for identifying entity identifiers associated with search result documents that were selected, by [[the]] users, in connection with prior searches involving the entity name,

one or more instructions for determining a total number of selections for each of the ~~identified~~ entity identifiers, and

one or more instructions for rewriting the received search query when [[an]] one of the entity ~~identifier~~ identifiers, associated with the entity name, receives a total number of selections greater than other ones of the ~~identified~~ entity identifiers.

54. (currently amended) The computer-readable memory device of claim 52, where the one or more instructions for rewriting the received search query includes:

one or more instructions for identifying entity identifiers associated with search result

documents that were selected in connection with prior searches involving the entity name,
one or more instructions for determining a distribution of a total number of selections for each of the ~~identified~~ entity identifiers, and

one or more instructions for rewriting the received search query when the distribution indicates that the total number of selections, for ~~[[an]] one of the~~ entity identifier identifiers associated with the entity name, is ~~peaked compared to~~ greater than the total number of selections for a subset of other ones of the ~~identified~~ entity identifiers.

55. (currently amended) The method of claim 38, where determining whether to rewrite the received search query comprises:

identifying entity identifiers associated with search result documents that were selected, by ~~[[the]]~~ users, in connection with the prior searches involving the entity name,

determining a total number of selections for each of the ~~identified~~ entity identifiers, and
determining that the received search query should be rewritten when ~~[[an]] one of the~~ entity identifier identifiers, associated with the entity name₁, receives a total number of selections greater than other ones of the ~~identified~~ entity identifiers.

56. (currently amended) The method of claim 55, where determining whether to rewrite the received search query further comprises:

determining whether the total number of selections for the ~~one of the~~ entity identifier identifiers, associated with the entity name₁ is greater than a threshold, and

determining that the received search query should not be rewritten when the total number

of selections, for the one of the entity ~~identifier~~ identifiers associated with the entity name, is not greater than the threshold.

57. (currently amended) The method of claim 42, where rewriting the received search query comprises:

identifying store identifiers associated with search result documents that were selected, by users, in connection with the prior searches involving the store name,

determining a total number of selections for each of the ~~identified~~ store identifiers, and rewriting the received search query when ~~[[a]]~~ one of the store ~~identifier~~ identifiers associated with the store name receives a total number of selections greater than other ones of the ~~identified~~ store identifiers.

58. (currently amended) The method of claim 57, where rewriting the received search query further comprises:

determining whether the total number of selections, for the one of the store ~~identifier~~ identifiers associated with the store name, is greater than a threshold, and

not rewriting the received search query when the total number of selections, for the one of the store ~~identifier~~ identifiers associated with the store name, is not greater than the threshold.

59. (previously presented) The method of claim 43, further comprising:
providing a link to the received search query with the search results, where selection of the link causes a search to be performed based only on the received search query.

60. (currently amended) The method of claim 43, where rewriting the received search query comprises:

identifying news source identifiers associated with search result documents that were selected, by users, in connection with the prior searches involving the name of the news source, determining a distribution of a total number of selections for each of the ~~identified~~ news source identifiers, and

rewriting the received search query when the distribution indicates that the total number of selections, for ~~[[a]] one of the~~ news source ~~identifier identifiers~~, associated with the name of the news source, is ~~peaked compared to~~ greater than the total number of selections for a subset of other ones of the ~~identified~~ news source identifiers.